

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1	x ray imag\$3 barcode scan\$6 stent\$5 and control\$5 and display \$5 contrast agent\$1 with stent\$1	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:04
L4	36	x ray imag\$3 bar code scan\$6 stent\$5 and control\$5 and display \$5 contrast agent\$1 with stent\$1	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:04
L5	205	x ray imag\$3 bar code scan\$6 stent\$5 and control\$5 and display \$5	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:05
L6	1	angiogr\$5 and scan\$3 stent\$3 with barcode	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:09
L7	0	angiogr\$5 and scan\$3 stent\$3 with bar code \$1	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:09
L8	77	angiogr\$5 and scan\$3 stent\$3 and bar code \$1	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:10
L9	44	angiogr\$5 and scan\$3 stent\$3 and bar code \$1 and x ray imag\$3	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:13
L10	0	623/3.1.ccls. and angiogr\$5 and scan\$3 stent\$3 and bar code \$1 and x ray imag\$3	US-PGPUB; USPAT	WITH	OFF	2009/02/05 14:28
L11	0	623/3.1.ccls. and angiogr\$5 and scan\$3 stent\$3 and bar code \$1 and x ray imag\$3	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:28
L12	1660504	623/3.1.ccls. and angiogr\$5 and scan\$3 stent\$3 and bar code \$1 and x ray imag\$3	US-PGPUB; USPAT	OR	OFF	2009/02/05 14:28
L22	1	623/3.1.ccls. and angiogr\$5 and scan\$3 stent\$3 and x ray imag \$3	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:31
L24	1	623/1.1.ccls. and angiogr\$5 and scan\$3 stent\$3 and x ray imag \$3	US-PGPUB; USPAT	WITH	OFF	2009/02/05 14:31

L25	4	623/1.1.ccls. and angiogr\$5 and scan\$3 stent\$3 and x ray imag\$3	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:31
L26	8	607/9.ccls. and angiogr\$5 and scan\$3 stent\$3 and x ray imag\$3	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:34
L36	0	600/16.ccls. and scan\$3 stent\$3 bar code\$1 and x ray imag\$3	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:39
L37	30	angiogr\$5 and scan\$3 stent\$3 and x ray imag\$3	US-PGPUB; USPAT	WITH	OFF	2009/02/05 14:40
L38	1	scan\$3 stent\$3 with bar code\$1 and x ray imag\$3	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:41
L39	1	scan\$3 stent\$3 with bar code\$1 and x ray imag\$3	US-PGPUB; USPAT	WITH	OFF	2009/02/05 14:41
L40	1	scan\$3 stent\$3 and bar code\$1 and x ray imag\$3	US-PGPUB; USPAT	WITH	OFF	2009/02/05 14:42
L41	192	scan\$3 stent\$3 and bar code\$1 and x ray imag\$3	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:42
L42	22	scan\$3 stent\$3 and barcode\$1 and x ray imag\$3	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:42
L43	3	comput\$4 assist\$4 stent\$3 with coronar\$4 and barcode\$1 and x ray imag\$3	US-PGPUB; USPAT	AND	OFF	2009/02/05 14:51
L44	12	comput\$4 assist\$4 stent\$3 graft\$1 with identif\$5 code\$1 and coronar\$4 heart\$1 and x ray imag\$4	US-PGPUB; USPAT	AND	OFF	2009/02/05 15:58
L45	180	comput\$4 assist\$4 stent\$3 graft\$1 and identif\$5 code\$1 and coronar\$4 heart\$1 and x ray imag\$4	US-PGPUB; USPAT	AND	OFF	2009/02/05 15:59
L47	2040	x ray imag\$5 and source\$1 and control with identification code\$1	US-PGPUB; USPAT	AND	OFF	2009/02/05 18:12
L48	343	x ray imag\$5 and source\$1 and control with identification code\$1 and barcode\$1	US-PGPUB; USPAT	AND	OFF	2009/02/05 18:13

L49	1	x ray imag\$5 and source\$1 and control with identification code \$1 and barcode\$1 with stent\$1	US-PGPUB; USPAT	AND	OFF	2009/02/05 18:24
L50	8	x ray imag\$5 and source\$1 and control with identification code \$1 and barcode\$1 and stent\$1	US-PGPUB; USPAT	AND	OFF	2009/02/05 18:24
L51	7	x ray imag\$5 and source\$1 and control with identification code \$1 and barcode\$1 and angiogra\$5	US-PGPUB; USPAT	AND	OFF	2009/02/05 18:25
L52	98	x ray imag\$5 and source\$1 and control with identification code \$1 and barcode\$1 and heart	US-PGPUB; USPAT	AND	OFF	2009/02/05 18:26
L53	0	barcode\$1 and identif\$4 stent\$1	US-PGPUB; USPAT	ADJ	OFF	2009/02/05 18:27
L54	14	barcode\$1 scanner and identif\$4 stent\$1 and x ray source\$1 and imag\$4	US-PGPUB; USPAT	AND	OFF	2009/02/05 18:28
L55	52	x ray imag\$4 and angiography and adjuvant	US-PGPUB; USPAT	ADJ	OFF	2009/02/05 18:30
L56	1983	control\$4 x ray imag\$4 and stor\$4 and memory and angiograph\$4	US-PGPUB; USPAT	AND	OFF	2009/02/05 18:53
L57	115	control\$4 x ray imag\$4 and stor\$4 and memory and angiograph\$4 and stent code\$1	US-PGPUB; USPAT	AND	OFF	2009/02/05 18:53
L58	17	control unit with x ray imag\$4 and stor\$4 and memory and angiograph\$4 and stent code\$1	US-PGPUB; USPAT	AND	OFF	2009/02/05 18:54
L59	48	control unit with x ray imag\$4 and stor\$4 and memory and stent coronar\$4	US-PGPUB; USPAT	AND	OFF	2009/02/05 18:56
S1	0	"2002077547"	US-PGPUB; USPAT	OR	OFF	2009/01/15 15:16
S2	1	"20020077547"	US-PGPUB; USPAT	OR	OFF	2009/01/15 15:16

S3	1	"20040170251"	US-PGPUB; USPAT	OR	OFF	2009/01/15 15:23
S4	1	"20050025347"	US-PGPUB; USPAT	OR	OFF	2009/01/15 15:24
S5	0	WO-199725923-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/16 18:04
S6	0	WO-970025923-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/16 18:06
S7	0	WO-2003059166-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/16 18:06
S8	0	WO-20030059166-\$. did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/16 18:06
S9	5	"2005025347"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/16 18:07
S10	2	"2004170251"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/16 18:08
S11	4	"2002077547"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/16 18:08

S12	0	(imag\$5 and control with identification code adjuvant) and (bar code scann\$4 and high energy image\$1) and (display\$4 stent and contrast agent with region)	US-PGPUB; USPAT	AND	OFF	2009/01/16 18:23
S13	20	(imag\$5 and control and identification code adjuvant) and (bar code scann\$4 and high energy image\$1) and (display\$4 stent and contrast agent)	US-PGPUB; USPAT; EPO; DERWENT	AND	OFF	2009/01/16 18:23
S14	109	((MICHAEL) near2 (MASCHKE)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/01/16 18:24
S15	84	(x ray and control\$4 and insert\$5 stent arter \$4) and (bar code scann\$4 and high energy image\$1) and (display\$4 stent and contrast agent)	US-PGPUB; USPAT; EPO; DERWENT	AND	OFF	2009/01/16 18:29
S16	22	(x ray imag\$5 and control\$4 unit) and (angiography and stent arter\$4) and (bar code scann\$4 input) and (display\$4 stent and contrast agent)	US-PGPUB; USPAT; EPO; DERWENT	AND	OFF	2009/01/16 18:32
S17	126	(x ray imag\$4 with implant\$4 stent with heart)	US-PGPUB; USPAT	AND	OFF	2009/01/16 18:33
S18	22	S17 and bar code scan \$4	US-PGPUB; USPAT	AND	OFF	2009/01/16 18:34
S19	99	S17 and contrast agent	US-PGPUB; USPAT	AND	OFF	2009/01/16 18:35
S20	74	S19 and display\$4 stent	US-PGPUB; USPAT	AND	OFF	2009/01/16 18:35
S21	1110586	stor\$4 memor\$4	US-PGPUB; USPAT	AND	OFF	2009/01/16 18:35
S22	34	S20 and stor\$4 memor \$4	US-PGPUB; USPAT	AND	OFF	2009/01/16 18:36
S23	0	(x ray angiograph\$4 and insert\$4 stent with balloon catheter) and (bar code scann\$4 and identif\$4 adjuvant)	US-PGPUB; USPAT	AND	OFF	2009/01/16 18:45

S24	1	(x ray angiograph\$4 and insert\$4 stent and catheter) and (bar code scann\$4 and identif\$4 adjuvant)	US-PGPUB; USPAT	AND	OFF	2009/01/16 18:45
S25	587326	(x ray angiograph\$4 and insert\$4 stent and catheter) and (bar code scann\$4 and identif\$4 adjuvant)	US-PGPUB; USPAT	OR	OFF	2009/01/16 18:46
S26	3	600/332.ccls. and (x ray angiograph\$4 and insert\$4 stent and catheter) and (bar code scann\$4 and identif\$4 adjuvant)	US-PGPUB; USPAT	OR	OFF	2009/01/16 18:46
S27	41	600/423.ccls. and (x ray angiograph\$4 and insert\$4 stent and catheter) and (bar code scann\$4 and identif\$4 adjuvant)	US-PGPUB; USPAT	OR	OFF	2009/01/16 18:47
S28	11	"588036"	US-PGPUB; USPAT	AND	OFF	2009/01/16 18:52
S29	6	"5588036"	US-PGPUB; USPAT	AND	OFF	2009/01/16 18:52
S30	7	"5737386"	US-PGPUB; USPAT	AND	OFF	2009/01/16 18:54
S31	94	"5986662"	US-PGPUB; USPAT	OR	OFF	2009/01/16 18:55
S32	16	"6219059"	US-PGPUB; USPAT	OR	OFF	2009/01/16 18:58
S33	0	x ray detecor and x ray radiat\$4 and stent adjuvant contrast agent and bar code scanne\$2	US-PGPUB; USPAT	AND	OFF	2009/01/16 19:04
S34	0	WO-970025923-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/16 19:07
S35	0	WO-025923-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/01/16 19:08

S36	23737	x ray imag\$4 and identif\$4 code\$1 and control unit	US-PGPUB; USPAT	AND	OFF	2009/01/16 19:11
S37	7477	x ray imag\$4 and identif\$4 code\$1 adjuvant and control unit	US-PGPUB; USPAT	AND	OFF	2009/01/16 19:11
S38	1351	x ray imag\$4 and identif\$4 code\$1 adjuvant and control unit and input\$4	US-PGPUB; USPAT	AND	OFF	2009/01/16 19:11
S39	1161	x ray imag\$4 and identif\$4 code\$1 adjuvant and control unit and input\$4 parameter\$1	US-PGPUB; USPAT	AND	OFF	2009/01/16 19:12
S40	1044	x ray imag\$4 and identif\$4 code\$1 adjuvant and control unit and input\$4 parameter\$1 and display\$4 adjuvant	US-PGPUB; USPAT	AND	OFF	2009/01/16 19:12
S41	7	x ray imag\$4 and identif\$4 code\$1 adjuvant and control unit and input\$4 parameter\$1 and display\$4 adjuvant and displaying stent	US-PGPUB; USPAT	AND	OFF	2009/01/16 19:13
S42	871	x ray imag\$4 and identif\$4 code\$1 adjuvant and control unit and input\$4 parameter\$1 and display\$4 adjuvant and display\$4 contrast agent	US-PGPUB; USPAT	AND	OFF	2009/01/16 19:14
S43	46	x ray imag\$4 and identif\$4 code\$1 adjuvant and control unit and input\$4 parameter\$1 and display\$4 adjuvant and display\$4 contrast agent and bar code scanner	US-PGPUB; USPAT	AND	OFF	2009/01/16 19:14
S44	0	424/9.4.ccls. and (x ray imag\$4 and identif \$4 code\$1 adjuvant and control unit and input\$4 parameter\$1 and display\$4 adjuvant)	US-PGPUB; USPAT	AND	OFF	2009/01/16 19:19

S45	392	424/9.4.ccls. and (x ray imag\$4 and identif\$4 code\$1 adjuvant and control unit and input\$4 parameter\$1 and display\$4 adjuvant)	US-PGPUB; USPAT	OR	OFF	2009/01/16 19:19
S46	392	424/9.4.ccls. and (x ray imag\$4 and identif\$4 code\$1 adjuvant and control unit and input\$4 parameter\$1 and display\$4 adjuvant stent)	US-PGPUB; USPAT	OR	OFF	2009/01/16 19:20
S47	130	424/9.4.ccls. and (x ray imag\$4 and identif\$4 code\$1 adjuvant and control unit and input\$4 parameter\$1 and display\$4 adjuvant stent) and (bar code scanner)	US-PGPUB; USPAT	OR	OFF	2009/01/16 19:20
S48	0	"250".ccls. and (x ray imag\$4 and identif\$4 code\$1 adjuvant and control unit and input\$4 parameter\$1 and display\$4 adjuvant stent) and (bar code scanner)	US-PGPUB; USPAT	OR	OFF	2009/01/16 19:21
S49	0	250/336.ccls. and (x ray imag\$4 and identif\$4 code\$1 adjuvant and control unit and input\$4 parameter\$1 and display\$4 adjuvant stent) and (bar code scanner)	US-PGPUB; USPAT	OR	OFF	2009/01/16 19:22
S50	40	607/1.ccls. and (x ray imag\$4 and identif\$4 code\$1 adjuvant and control unit and input\$4 parameter\$1 and display\$4 adjuvant stent) and (bar code scanner)	US-PGPUB; USPAT	OR	OFF	2009/01/16 19:22
S51	1887	x ray imag\$4 and angiography	US-PGPUB; USPAT	ADJ	OFF	2009/01/16 19:24
S53	24	x ray imag\$4 and angiography and adjuvant and display\$5	US-PGPUB; USPAT	ADJ	OFF	2009/01/16 19:25

S54	5	x ray imag\$4 and angiography and display\$4 contrast agent	US-PGPUB; USPAT	ADJ	OFF	2009/01/16 19:26
S55	10	x ray imag\$4 and angiography and display\$4 contrast agent with adjuvant	US-PGPUB; USPAT	AND	OFF	2009/01/16 19:27
S56	8	x ray imag\$4 radiat\$4 and angiography and display\$4 contrast agent with adjuvant	US-PGPUB; USPAT	AND	OFF	2009/01/16 19:28

2/ 5/ 2009 7:26:11 PM

C:\ Documents and Settings\ jbrutus2\ My Documents\ EAST\ Workspaces\ 10587671.wsp